

TIAN

RIE



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,


The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Morgan County are stored on microfilm Reel 7534 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor



Township N. XIV North, Range N. I East 2nd Mer. Surveyed by Stephen Collet 1820.

Description of the Soil on the interior Sectional lines.

Between Sections	Quality 1 st	Between Sections	Quality 1 st	Between Sections	Quality 1 st
35.36	Same Rich Rolling 2 nd rate. Bark. Sugar. Walnut. Ash. Hickory.	25.26	Same Rich Rolling 2 nd rate. Bark. Sugar. Walnut. Ash. Hickory.	31.32	Same Rich Rolling 2 nd rate. Bark. Sugar. Walnut. Ash. Hickory.
25.36	Same	27.34	Same Rich Rolling 2 nd rate. Bark. Sugar. Walnut. Ash. Hickory.	29.32	Same
25.26	Same	35.25	Same Rich Rolling 2 nd rate. Bark. Sugar. Walnut. Ash. Hickory.	30.31	Same
24.25	Same	32.27	Same	29.30	Same
23.24	Same - Rolling	21.22	Same	20.29	Same (Soil)
13.24	Same - Rolling	15.22	Same	19.30	Same
13.14	Same - Rolling	15.16	Same	19.20	Same
12.13	Same	10.15	Same	18.20	Same
11.12	Same	9.10	Same	18.19	Same
1.12	Same	8.10	Same	18.18	Same
1.2	Same	3.4	Same	18.17	Same
34.35	Same	22.33	Same	18.16	Same
26.35	Same	28.33	Same	18.15	Same
26.27	Same Rich bottom - timber Same	28.29	Same	18.14	Same
23.26	Same	21.28	Same	18.13	Same
22.23	Same	20.21	Same	18.12	Same
14.23	Same	16.21	Same	18.11	Same
14.15	Same Rich bottom	16.19	Same	18.10	Same
11.14	Same Rich bottom	9.16	Same	18.9	Same
10.11	Same	8.9	Same	18.8	Same
9.11	Same	4.9	Same	18.7	Same
2.11	Same	4.5	Same	18.6	Same
2.3	Same				

Township N. 14 North, Range N. 1 East 2nd Mer.

Range line - Var. 6° 20' E		North on the East Side of Sec. 13	
North Between Ranges 1 & 2 East, Town 14 North - On East side of Sec. 36 T14 N R1 E -		14.75	A. Beech 18 in. diam.
19.65	A Sugar 21 in. diam.	28.75	A. Branch 5 links East
40.00	q ^r . Sec. cor. Beech 21 S 45 W 16	40.00	q ^r . Sec. cor. Beech 21 S 45 W 7
	Elm 15 S 21 E 18		Ash 18 S 80 E 20
44.40	Poplar 30 in. diam.	64.90	A. Beech 14 in. diam.
53.50	Beech 54 S. W	80.00	Post corner of Sec. 12 & 13
77.50	Beech 75 S. W		Ash 26 S 75 E 6
80.00	Post corner of Sec. 25 & 36		Hickory 14 S 66 W 20
	Beech 7 S 44 W 25		Land & Timber Same with Sugar
	Elm 24 S 16 E 50	North on the East Side of Sec. 12	
	Rolling land & good Sugar. Walnut 1°	18.70	A. Hickory 10 in. diam.
North on East Side of Sec. 25		40.00	q ^r . Sec. cor. Elm 7 S 22 W 30
21.35	Sugar 18 in. diam.		Sup. Ash 10 S 40 E 6
40.00	q ^r . Sec. cor. Elm 7 S 53 W 7	57.80	A. W. Oak 36 in. diam.
	Sugar 10 S 68 E 15	80.00	Post corner of Sec. 10 & 12
43.30	A. Hackberry 20 in. diam.		Beech 21 S 56 W 26
80.00	Set post cor. of Sec. 24 & 25		Sugar 7 S 35 E 16
	Beech 24 S 60 E 54		Land good & rolling. Beech Ash.
	Hackberry 12 S 34 W 25		Sugar Oak. 11/2 S 100 E 1°
	Rolling land & good for farming. Sugar. Poplar. 11/2 S 100 E 1°	North on the East Side of Sec. 1	
North on East Side of Sec. 24		10.20	Hickory 14 in. diam.
25.20	Branch 16 E	40.00	q ^r . Sec. cor. W. Oak 6 S 40 W 21
28.05	Beech 14 in. diam.		Sugar 12 S 69 E 25
40.00	q ^r . Sec. cor. Beech 27 S 40 W 15	79.00	Post corner of Town 13 & 15 N. R1 & 2 E.
	Elm 15 S 33 E 33		Sugar 10 S 71 W 26
48.20	A. Branch 7 S. E.		Elm 14 S 40 E 26
52.75	A. W. Oak 40 in. diam.		Level land. Soil good. Beech. Ash. Sugar.
80.00	Set post cor. of Sec. 13 & 24		11/2 S 100 E 1°
	Beech 7 S 27 E 14		11/2 S 100 E 1°
	Jun 20 S 33 W 12		11/2 S 100 E 1°
	Rolling good farming land. Beech. Ash. 11/2 S 100 E 1°		11/2 S 100 E 1°
	11/2 S 100 E 1°		11/2 S 100 E 1°

Town line - Var. 6° 45' E.

East Between Towns 13 & 14 North, Range 1 East - on South side of Sec. 31 T. 14

1.00	q ^r . Sec. corner. Beech 25 S 86 E 28
	do 10 S 87 W 26
8.62	A. Walnut 33 in. diam.

41.00	Set post cor. of Sec. 31 & 32	East on South Side of Sec. 35
	Hackberry 21 S 25 W 7	20.53 A. Oak 18 in. diam.
	do 14 S 32 E 27	37.50 A. Branch 4 links S. E.
	Rich Rolling land. Sugar. Walnut. Hackberry	40.00 q ^r . Sec. corner. Sugar 7 S 65 E 3
	Poplar. 11/2 S 100 E 1°	do 5 S 25 W 14
East on South Side of Sec. 32		
3.00	A. Branch 4 links S. E.	43.00 A. Branch 5 links East
27.33	A. W. Oak 33 in. diam.	60.93 A. Beech 30 in. diam.
40.00	q ^r . Sec. corner. Beech 24 S 12 W 11	65.00 A. Branch 5 links S. E.
	Ash 7 S 72 E 15	79.25 A. Beech 1.50 links South
58.00	A. Branch 12 links S. W	80.00 Set post corner of Sec. 35 & 36 in the creek
80.00	Set post corner of Sec. 32 & 33	Sycamore 10 S 44 W
	Hickory 18 S 48 E 4	Ash 9 S 75 E 35
	Walnut 27 S 38 W 20	Land Same. Sugar & Walnut
	Land & Timber Same	East on South Side of Sec. 36
East on South Side of Sec. 33		
40.00	q ^r . Sec. corner. Sugar 14 S 5 W 10	40.00 q ^r . Sec. corner Hackberry 18 S 37 W 18
	Sycamore 7 S 29 W 25	Buckeye 10 S 1 W 19
40.67	A. Hickory 24 in. diam.	54.89 A. Beech 15 in. diam.
57.00	A. Branch 6 links South	80.00 Intersected Range line corner of Town 13 & 14
75.00	A. Branch 4 links North	North. Ranges 1 & 2 East
80.00	Set post corner of Sec. 33 & 34	Hackberry 18 S 61 W 30
	Bottom wood 24 S 25 W 5	Buckeye 10 S 40 E 22
	Beech 8 S 11 W 18	Bottom land 1° rate. Walnut. Sugar. Hackberry.
	Land & Timber Similar to the last	Forest. 11/2 S 100 E 1°
East on South Side of Section 34		Surveyed by John M. Jones
18.10	A. Sugar 24 in. diam.	Subdivision.
40.00	q ^r . Sec. cor. Beech 20 S 58 E 24	North Between Sections 35 & 36
	Poplar 20 S 20 E 23	19.50 A. Sycamore 12 in. diam.
62.54	A. Poplar 50 in. diam.	40.00 q ^r . Sec. corner. Beech 20 S 33 W 36
65.00	A. Branch 15 links S. E.	do 30 S 57 E 25
80.00	Set post corner of Sec. 34 & 35	65.60 A. Poplar 50 in. diam.
	Sugar 7 S 57 W 10	80.00 Set post corner to Sec. 25, 26, 35 & 36
	do 5 S 47 W 18	Sugar 12 S 84 W 22
	Broken land. Beech. Sugar. Walnut & Ash	do 12 S 86 E 19
	11/2 S 100 E 1°	Land Rich & Rolling. Beech. Sugar. Walnut.
	July 5th 1819	Poplar. W. M. Ash. 11/2 S 100 E 1°

July 5th 1819

East	Between Sections 25 & 26 on Random	East	Between Sections 13 & 14 on Random
40.00	Temporary q. Sec. post	40.00	Temporary q. Sec. post
79.00	A. Spruce 50 links S. W	79.98	Intersected N & S line 234 links S. of post
80.04	Intersected N & S line 115 lks S. of Post		Land level & rich. Beech. Ash. Sugar P.
	Land Rolling & rich. Beech. Sugar. Walnut.	West	Corrected
West	Corrected	39.99	q. Sec. corner. Beech 14 ft 44 E 30
40.02	q. Sec. corner A. Spruce 18 ft 52 E 4		do 12 ft 11 W 23
	Buckeye 10 ft 5 E 11	79.98	Section corner.
80.04	Section corner.	North	Between Sections 13 & 14
North	Between Sections 25 & 26	22.22	A. Sugar 10 in. diam.
27.10	A. Beech 12 in. diam.	40.00	q. Sec. corner. N. Ash 24 ft 64 E 5
40.00	q. Sec. corner. Beech 16 ft 33 N 36		Sugar 7 ft 3 N 13
	do 18 ft 44 E 30	34.65	A. Hickory 24 in. diam.
53.65	A. Sugar 14 in. diam.	55.42	A. Beech 4 lks West
80.00	Set post corner to Sec. 23, 24, 25, 26	80.00	Set post corner to Sec. 11, 12, 13, 14
	Blue. Ash 36 ft 28 E 25		Blue. Ash 36 ft 48 E 9
	Beech 20 ft 68 N 21		N. Walnut 12 ft 7 N 56
	Land Rolling & rich. Beech. Sugar. Poplar.		Land Part Rolling & Part level. Rich
	Cake. Ash P. 11 ft 8 ft 5		trees as before
East	Between Sec. 24 & 25 on Random	East	Between Sections 12 & 13 on Random
40.00	Temporary q. Sec. post	40.00	Temporary q. Sec. post
79.72	Intersected N & S line 150 links S. of post	79.84	Intersected N & S line 290 lks S. of post
	Land level & rich. Beech. Oak. Ash. Walnut.		Timber as before
	11 ft 8 ft 5	West	Corrected
West	Corrected	39.92	q. Sec. post. N. Ash 9 ft 70 E 17
39.86	q. Sec. corner. Sugar 16 ft 36 E 25		Beech 16 ft 44 E 10
	Beech 20 ft 20 N 79	79.84	Section corner.
79.72	Section corner	North	Between Sections 11 & 12
North	Between Sections 23 & 24	21.00	Beech 20 lks S. W
22.35	Beech 20 in. diam.	22.50	A. N. Walnut 24 in. diam.
40.00	q. Sec. corner Cherry 18 ft 68 N 34	40.00	q. Sec. corner N. Ash 12 ft 48 N 40
	B. Walnut 12 ft 88 E 25		N. Elm 24 ft 60 E 61
52.67	Beech 15 in. diam.	57.40	Set post corner to Sec. 1, 2, 11, 12
80.00	Set post corner to Sec. 13, 14, 23 & 24		Beech 10 ft 25 E 18
	N. Oak 30 ft 88 N 46		Sugar 18 ft 12 N 22
	B. Walnut 24 ft 48 E 25		Land Part Rolling & Part level. Part rolling & 2 ft 2 ft 2
	Land & Timber same with part rolling		Sugar. Beech. Ash. Walnut. Oak

East	Between Sections 1 & 12 on Random	West	Corrected
29.00	A. Beech 20 lks S. W	40.22	q. Sec. corner. Hackberry 16 ft 3 N 30
40.00	Temporary q. Sec. post		N. Walnut 18 ft 44 E 19
79.74	Intersected N & S line 345 lks. South of post	80.45	Section corner.
	Land & Timber as before	North	Between Sections 26 & 27
West	Corrected	12.65	A. Sugar 12 in. diam.
39.87	q. Sec. corner Beech 10 ft 87 E 15	28.00	A. Beech 30 lks S. E
	Sugar 24 ft 41 E 23	40.00	q. Sec. corner B. Ash 10 ft 5 N 22
79.74	Section corner		N. Elm 24 ft 64 N 31
North	Between Sections 1 & 2	58.00	A. Beech 11 in. diam.
18.50	A. Elm 24 in. diam.	80.00	Set post corner to Sec. 22, 23, 26, 27
40.00	q. Section corner N. Ash 10 ft 5 N 44		Beech 12 ft 47 N 2
	N. Walnut 12 ft 55 E 20		N. Oak 30 ft 64 E 22
59.20	A. Beech 20 in. diam.		Land level Rich Bottom. Walnut. Oak. Ash.
83.45	Intersected North boundary 12 lks E of post		Poplar. Sugar. Hackberry. 11 ft 8 ft 5 & 11 ft 8 ft 5
	N. Oak 36 ft 12 N 19	East	Between Sec. 23 & 26 on Random
	Buckeye 18 ft 45 N 71	28.00	A. Spruce 100 lks S. E
	Land & Timber as before	40.00	Temporary q. Sec. post
	Jan'y 23 rd 1820	80.50	Intersected N & S line 12 lks N. of post
North	Between Section 34 & 35		First & same last & rolling timber as before
21.55	A. Blue. Ash 18 in. diam.	West	Corrected
40.00	q. Sec. corner. Slippy Elm 12 ft 56 N 26	40.25	q. Sec. corner. Hackberry 12 ft 46 N 37
	Buckeye 8 ft 83 E 11		Buckeye 14 ft 38 E 28
56.69	A. Beech 16 in. diam.	80.50	Section corner.
80.00	Set post corner to Sec. 26, 27, 34, 35	North	Between Sec. 22 & 23
	Buckeye 12 ft 64 E 9	22.50	A. Beech 30 lks S. E
	do 14 ft 75 N 76	28.23	A. Hackberry 6 in. diam.
	Land Rolling & rich. Beech. Sugar. Walnut.	40.00	q. Sec. post. Buckeye 12 ft 33 N 72
	Blue & N. Ash. 11 ft 8 ft 5		Hackberry 30 ft 8 E 20
East	Between Sections 26 & 35 on Random	51.24	A. N. Elm 30 in. diam.
21.50	A. Beech 30 lks S. E	80.00	Set post cor. to Sec. 14, 15, 22, 23
40.00	Temporary q. Sec. post		Honey Locust 24 ft 19 N 3
52.60	A. Spruce 100 lks S. E		Buckeye 8 ft 35 E 17
80.45	Intersected N & S line at post		Land Part Rolling & Part level bottom very rich
	Land first 50 chains rich bottom 2 nd 30.45		Walnut. Beech. Ash. Sugar. Beech. Ash.
	Rolling & rich. Beech. Sugar. Walnut. Hackberry		Buckeye. 11 ft 8 ft 5 & 11 ft 8 ft 5
	Buckeye. 11 ft 8 ft 5 & 11 ft 8 ft 5		

East Between Sections 14 & 23 On Random
 39.20 A. Beech 60 lbs L.E.
 40.00 Temporary g. Sec. post
 50.50 Intersected N & S line 14 lbs. North of post
 Land 1st half mile Rich. Bottom 2nd part level
 4 part rolling 2nd bottom all rich. Walnut. Oak. Ash.
 Oak. Beech. Hackberry. Sugar. Hoph. Spruce. Hawthorn
 West Corrected
 40.25 g. Sec. corner Sycamore 60 lbs N 34
 Sugar 18 lbs N 75
 50.50 Section corner - July 24th 1820
 North Between Sections 14 & 15
 22.44 Beech 30 in. diam.
 40.00 g. Sec. corner. Beech 16 lbs N 34
 Maple 24 lbs E 45
 50.00 A. W. Oak 20 in. diam.
 80.00 Set post corner to Sec. 10. 11. 14. 15
 Beech 14 lbs N 30
 do 18 lbs E 31
 Just 1/2 mile high 2nd bottom very rich. Beech. Oak.
 Sugar. Last 1/2 mile level 2nd bottom. Beech. Sugar.
 Oak 1st half. Hoph. Spruce. Hawthorn & Hazle
 East Between Sec. 11 & 14 On Random
 40.00 Temporary g. Sec. post
 55.00 A. Beech 50 lbs. L.W.
 75.00 A. Beech 20 lbs L.W.
 80.46 Intersected N & S line 12 lbs North of post
 Land part rolling part rich Bottom. Beech.
 Sugar. Walnut. Ash. Oak.
 West Corrected
 40.23 g. Sec. corner. Buckeye 14 lbs N 28
 Blue Oak 36 lbs N 59
 80.46 Section corner.

North Between Sections 10 & 11
 20.16 A. W. Oak 16 in. diam.
 40.00 g. Sec. corner Sugar 10 lbs N 31 N 3
 W. Oak 12 lbs N 7
 56.69 A. Beech 12 in. diam.
 80.00 Set post corner to Sec. 2. 3. 10. 11
 Buckeye 12 lbs N 36 E 19
 do 12 lbs N 78
 East Between Sections 2 & 11 On Random
 32.00 A. Beech 50 lbs. L.E.
 40.00 Temporary g. Sec. post
 80.44 Intersected N & S line 14 lbs. S. of post
 Land level Rich. Walnut. Sugar. Ash. S.
 Hoph. Spruce & Hawthorn
 West Corrected
 40.22 g. Sec. corner. B. Walnut 18 lbs E 17
 Hackberry 10 lbs N 5
 80.44 Section corner
 North Between Sections 2 & 3
 17.80 A. Sugar 18 in. diam.
 40.00 g. Sec. post. Sugar 18 lbs N 47 E 8
 Beech 12 lbs N 25
 70.30 A. Beech 18 in. diam.
 81.54 Intersected North boundary 22 lbs. N. of post
 Sugar 14 lbs N 76
 Blue Oak 30 lbs N 59 E 5
 Land part level part rolling Rich
 Beech. Sugar. Walnut. Ash
 July 25th
 North Between Sec. 33 & 34
 21.10 A. Beech 12 in. diam.
 40.00 g. Sec. corner. W. Elm 24 lbs N 52 E 3
 Sugar 12 lbs N 53 N 26
 58.50 Beech 12 in. diam.
 80.00 Set post corner to Sec. 2. 28. 33. 34
 Beech 30 lbs N 53 N 20
 do 36 lbs N 32 E 14

Land Rolling & Broken. Beech. Sugar. Ash.
 Oak. Poplar 1st
 East Between Sections on Random
 40.00 Temporary g. Sec. post
 80.48 Intersected N & S line 14 lbs South of post
 Land 1st half mile level & good. 2nd half Rich rolling
 Walnut. Oak. Beech. Sugar. Poplar. Oak
 West Corrected
 40.24 g. Sec. corner. Blue Oak 36 lbs N 59 E 7
 Buckeye 12 lbs N 30 N 27
 80.48 Section corner.
 North Between Sec. 27 & 28
 33.77 A. Beech 12 in. diam.
 40.00 g. Sec. corner Beech 24 lbs N 16
 W. Oak 24 lbs E 17
 60.34 A. B. Walnut 18 in. diam.
 61.01 A. Beech 30 lbs. L.E.
 80.00 Set post corner to Sec. 21. 22. 27. 28
 Dogwood 10 lbs N 15
 Beech 24 lbs N 50 E 15
 Land part rolling & part level very Rich.
 Beech. Sugar. Walnut. Ash. Syc. Hoph. Spruce
 East Between Sec. 22 & 27 on Random
 40.00 Temporary g. Sec. post
 80.49 Intersected N & S line 14 lbs. S. of post
 Land level & rich. Beech. Sugar. Ash. Walnut.
 Hoph. Spruce & Hawthorn.
 West Corrected
 40.24 g. Sec. corner. Beech 16 lbs N 33 E 22
 W. Ash 18 lbs N 31 N 25
 80.49 Section corner
 North Between Sec. 21 & 22
 11.22 A. Beech 12 in. diam.
 40.00 g. Sec. corner Beech 12 lbs N 52 N 70
 do 30 lbs N 43 E 25
 56.90 A. Elm 15 in. diam.

80.00 Set post corner to Sec. 15. 16. 21. 22
 W. Elm 18 lbs N 30
 do 30 lbs N 30 E 40
 Land level & very Rich. Beech. Sugar. W. B. Ash.
 W. B. Walnut. Hoph. Spruce & Hawthorn S.
 East Between Sec. 15 & 22 On Random
 30.60 A. Beech 40 lbs L.E.
 40.00 Temporary g. Sec. post
 80.44 Intersected N & S line 38 lbs South of post
 Land Rolling & very rich
 West Corrected
 40.22 g. Sec. corner. Blue Oak 16 lbs N 23 E 27
 Mulberry 18 lbs N 22 N 26
 80.44 Section corner. July 26th 1820.
 North Between Sections 15 & 16
 7.74 A. Cherry 18 in. diam.
 32.01 A. Beech 40 lbs. L.E.
 40.00 g. Sec. corner Hickory 10 lbs N 41 N 7
 Buckeye 14 lbs N 57 N 18
 55.06 A. Beech 18 in. diam.
 80.00 Set post corner to Sec. 9. 10. 15. 16
 W. Oak 18 lbs N 89 N 20
 do 18 lbs E 35
 Land part rolling & part level very Rich. Beech.
 W. B. Walnut. W. B. Ash. Sugar. Hoph. Spruce & Hawthorn
 East Between Sec. 10 & 15 On Random
 40.00 Temporary g. Sec. post
 80.48 Intersected N & S line 40 lbs S. of post
 Land same 2nd bottom. Beech. Ash. Oak. Sugar.
 West Corrected
 40.24 g. Sec. corner Beech 20 lbs N 49 E 17
 do 14 lbs N 12 N 20
 80.48 Section corner.

North Between Sections 9 & 10
 23.11 A. Beech 30 in. diam.
 40.00 gr. Sec. corner Beech 18 corner tree
 Sugar 10 St 2 N 18
 57.90 A. Beech 12 in. diam.
 80.00 1st post corner of Sec. 3, 4, 9, 10
 Beech 18 St 7 N 22
 do 12 St 6 E 30
 Land level 2nd rate. Beech. Oak. Ash. Sugar.
 Hickory & H^gth. Spice
 East Between Sec. 3 & 10 On Random
 40.00 Temporary gr. Sec. post
 80.42 Intersected St & S line 36 lbs. S. of post
 Land & timber similar. Beech. Oak. Ash. Spice
 West Corrected
 40.21 gr. Sec. corner. White Oak 10 St 26 N 26
 W. Oak 30 St 22 E 27
 80.42 Section corner.
 North Between Sec. 3 & 4
 22.82 A. W. Oak 18 in. diam.
 40.00 gr. Sec. corner W. Elm 14 E 27
 W. Ash 8 St 21 E 9
 81.35 Intersected North Boundary 34 lbs. E. of post
 Poplar 36 St 1 N 30
 W. Oak 36 St 33 E 64
 Land level 2nd rate. Beech. Oak. Poplar &
 June 27th 1820
 North Between Sections 32 & 33
 16.06 A. Beech 24 in. diam.
 17.50 A. Spring Branch St. W.
 40.00 gr. Sec. corner W. Ash 36 St 85 E 22
 Sugar 18 St 54 N 35
 62.04 A. Beech 24 in. diam.
 80.00 1st post corner to Sec. 25, 29, 32, 33
 Sugar 12 St 3 E 15
 Sugar 12 St 59 N 27
 Land rolling 2nd rate timber same

East Between Sec. 28 & 33 On Random
 28.00 A. Spring Branch North
 40.00 Temporary gr. Sec. post
 81.11 Intersected St & S line 54 lbs. South of post
 Land rolling 2nd rate. Beech. Sugar. Oak. Poplar &
 West Corrected
 40.55 gr. Sec. corner Beech 24 St 53 N 8
 do 24 St 52 E 47
 81.11 Section corner
 North Between Sec. 28 & 29
 20.00 A. Blue Ash 12 in. diam.
 40.00 gr. Sec. corner. Sugar 30 St 62 E 10
 do 28 St 88 N 19
 56.80 A. Beech 15 in. diam.
 70.00 A. Beech 30 lbs. S. E
 80.00 1st post corner to Sec. 20, 21, 28, 29
 B. Walnut 12 St 47 E 24
 Beech 24 St 15 N 35
 Land post rolling & part level 2nd rate. Beech
 Sugar. Oak. Poplar. Ash. Sugar. H^gth. Spice
 East Between Sec. 21 & 28 On Random
 40.00 Temporary gr. Sec. post
 81.04 Intersected St & S line 64 lbs. South of post
 Land mostly level Bottom. good. Sugar. Beech.
 Walnut. H^gth. Spice &
 West Corrected
 40.82 gr. Sec. corner Spruce 20 St 5 N 10
 Buckeye 14 St 32 N 41
 81.04 Section corner
 North Between Sec. 20 & 21
 28.91 A. Beech 16 in. diam.
 40.00 gr. Sec. corner Beech 30 St 13 E 5
 do 10 St 66 N 27
 50.20 A. W. Oak 30 in. diam.
 80.00 1st post corner to Sec. 16, 17, 20, 21

Beech 12 St 9 E 9
 do 14 St 35 N 31
 Land level 2nd rate. Beech. Sugar. Oak.
 H^gth. Spice
 East Between Sec. 16 & 21 On Random
 40.00 Temporary gr. Sec. post
 81.08 Intersected St & S line 56 lbs. S. of post
 Land & timber same
 West Corrected
 40.54 gr. Sec. corner. W. Ash 12 St 45 E 23
 do 12 St 41 N 14
 81.08 Section corner. June 28th 1820
 North Between Sec. 16 & 17
 14.33 A. W. Oak 30 in. diam.
 40.00 gr. Sec. corner Beech 20 St 34 N 10
 do 20 St 85 E 22
 62.00 A. Beech 18 in. diam.
 80.00 1st post corner to Sec. 8, 9, 16, 17
 Sugar 12 St 10 E 24
 Beech 14 St 58 N 30
 Land level 2nd rate. Beech. Sugar. Ash. Oak. H^gth. Spice
 East Between Sec. 9 & 16 On Random
 39.50 A. Beech 40 lbs. S. E
 40.00 Temporary gr. Sec. post
 41.00 A. Beech 40 lbs. S. E
 42.00 A. Beech S. E thence with same in post & mile
 81.14 Intersected St & S line 58 lbs. S. of Post
 Land rolling & broken 2nd rate. Beech.
 Sugar. Oak. Poplar.
 West Corrected
 40.57 gr. Sec. corner Beech Elder 8 St 74 N 19
 W. Elm 8 St 19 E 21
 81.14 Section corner
 North Between Sec. 8 & 9
 24.00 A. Beech 40 lbs. S. E
 26.00 A. W. Walnut 12 in. diam.

40.00 gr. Sec. corner. Beech 15 St 73 N 15
 do 10 St 69 E 15
 53.51 A. Poplar 40 in. diam.
 80.00 1st post corner to Sec. 4, 5, 8, 9
 Sugar 12 St 15 N 2
 do 12 St 2 E 27
 First a up land & part rich Bottom. last a mile
 Rich Bottom. Beech. Sugar. Ash. Oak. Walnut. Spruce.
 Hackberry & H^gth. Spice & Paw paw
 East Between Sec. 4 & 9 On Random
 40.00 Temporary gr. Sec. post
 81.10 Intersected St & S line 50 lbs. S. of post
 Land mostly level 2nd rate. Beech. Sugar. Oak.
 Hickory. H^gth. Spice
 West Corrected
 40.55 gr. Sec. corner. Beech 16 St 71 N 11
 do 18 St 61 E 33
 81.10 Section corner
 North Between Sec. 4 & 5
 14.33 A. Beech 12 in. diam.
 40.00 gr. Sec. corner Sugar 14 St 72 N 6
 Beech 12 St 33 E 21
 80.76 Intersected North Boundary 34 lbs. E. of Post
 Beech 18 St 58 N 38
 do 16 St 31 E 9
 Land level 2nd rate. Beech. Oak. Hickory
 Ash. Sugar & H^gth. Spice
 North Between Sec. 31 & 32
 21.24 A. Hackberry 12 in. diam.
 40.00 gr. Sec. corner Beech 10 St 67 N 10
 do 18 St 23 E 16
 57.81 A. Beech 18 in. diam.
 65.00 A. Beech 8 lbs. East
 80.00 1st post corner to Sec. 29, 30, 31, 32
 Buckeye 8 St 74 N 25
 do 12 St 52 E 18
 Land post rolling & part level. rich. timber same
 with Walnut

East Between Secs 29 & 32 On Random
40.00 Temporary gr. Sec. post
80.81 Intersected N & S line 56 lks. S. of post
Sand & Pollard rich timber as before
West Corrected
40.00 gr. Sec. corner Beech 12 S 34 W 28
W. Oak 30 S 54 E 11
80.81 Section corner
West Between Sections 30 & 31
8.00 A. Beech 20 lks. S. E
21.83 A. W. Oak 16 in. diam.
40.00 gr. Sec. corner Beech 14 S 23 W 24
do 20 S 48 W 37
41.82 Intersected West Boundary 75 lks. S. of post
Beech 18 S 2 W 11
do 20 S 19 E 21
Sand Rolling & very Rich. Walnut, Beech
Sugar - Sugar, & Pecan
North Between Secs 29 & 30
5.00 A. Beech 20 lks. S. E
18.20 A. W. Oak 24 in. diam.
40.00 gr. Sec. corner Beech 10 S 42 W 5
W. Ash 12 S 50 E 21
61.78 A. Beech 24 in. diam.
80.00 Set post corner to Secs 19, 20, 29, 30
W. Ash 30 S 70 W 19
Beech 12 S 33 E 13
Sand Rolling & rich timber as before
East Between Secs 20 & 22 On Random
40.00 Temporary gr. Sec. post
49.00 A. Beech 20 lks. S. E
80.71 Intersected North & South line 50 lks. S. of post
Sand mostly level & rich timber as before
West Corrected
40.30 gr. Sec. corner Beech 30 S 43 E 4
do 18 S 44 W 24
80.71 Section corner

West Between Secs 19 & 20
12.60 A. Beech 18 in. diam.
40.00 gr. Sec. corner Beech 14 S 44 W 21
do 14 S 20 E 21
41.81 Intersected West Boundary 152 lks. S. of post
Beech 12 S 29 E 36
Ironwood 10 S 38 E 31
Sand & timber as before
North Between Secs 19 & 20
15.00 A. Beech 12 in. diam.
36.00 A. Beech 10 lks. East
40.00 gr. Sec. corner Beech 12 S 82 W
do 12 S 82 E 17
61.14 A. Beech 16 in. diam.
80.00 Set post corner to Secs 17, 18, 19, 20
Beech 24 S 39 W 7
W. Ash 6 S 56 E 21
Sand level & rich timber having the same
West Between Sections 18 & 19
20.18 A. Beech 18 in. diam.
40.00 gr. Sec. corner Beech 30 S 36 W 22
Sugar 18 S 12 E 13
42.02 Intersected West Boundary 236 lks. S. of post
Sugar 14 S 23 E 25
do 16 S 20 E 30
Sand & timber as before
East Between 17 & 20 On Random
25.00 A. Beech 5 lks. S. E
40.00 Temporary gr. Sec. post
80.69 Intersected N & S line S. of post
Sand level & rich timber as before
West Corrected
40.34 gr. Sec. corner Beech 8 S 58 E 10
do 10 S 86 W 21
80.69 Section corner
June 30th 1820

North Between Secs 17 & 18
25.34 On Elm 12 in. diam.
40.00 gr. Sec. corner W. Ash 24 S 33 W 7
Beech 10 S 51 W 31
62.76 A. Sugar 24 in. diam.
80.00 Set post corner to Secs 7, 8, 17, 18
Beech 18 S 12 E 16
W. Ash 14 S 5 E 8
Sand & timber as before
East Between Secs 8 & 12 On Random
40.00 Temporary gr. Sec. post
80.74 Intersected N & S line 39 lks. S. of post
Sand level & rich timber as before
West Corrected
40.37 gr. Sec. corner W. Oak 48 S 20 W 7
Beech 12 S 80 E 13
80.74 Section corner
West Between Secs 7 & 18
18.21 A. Beech 12 in. diam.
40.00 gr. Sec. corner W. Walnut 14 S 77 E
Beech 24 S 25 W 25
41.86 Intersected West Boundary 288 lks. S. of post
Beech 14 S 16 E 20
do 14 S 58 W 32
Sand & timber as before
North Between Secs 7 & 8
19.21 A. Beech 18 in. diam.
40.00 gr. Sec. corner W. Oak 36 S 19 E 34
do 14 S 37 W 34
62.00 A. Beech 24 in. diam.
80.00 Set. Post corner to Secs 5, 6, 7, 8
Beech 24 S 38 E 7
do 12 S 56 W 10
Sand & timber as before

East Between Secs 5 & 8
40.00 Temporary gr. Sec. post
40.26 A. Beech 40 lks. S. E
80.75 Intersected N & S line 37 lks. S. of post
Sand part level & part rolling. Which
natural Sugar. Beech. Sugar. 11 lks. S. of post
West Corrected
40.37 gr. Sec. corner in the channel of a brook
41 lks. West
W. Walnut 10 S 10 E 3
Elm 10 S 88 W 43
80.75 Section corner
West Between Secs 6 & 7
21.58 A. W. Oak 30 in. diam.
40.00 gr. Sec. corner Sugar 20 S 16 W 21
do 12 S 35 E 24
42.30 Intersected West Boundary 334 lks. S. of post
Sugar 12 S 60 W 20
do 14 S 19 E 34
Sand & timber as before
North Between Secs 5 & 6
30.00 A. Sugar 24 in. diam.
40.00 gr. Sec. corner Sugar 12 S 50 W 26
do 12 S 86 E 25
56.00 A. Beech 30 in. diam.
80.07 Intersected N. Boundary 51 lks. E. of post
W. Oak 28 S 69 W 15
do 30 S 84 E 19
Sand level & rich timber. Beech. Sugar.
July 1st 1820
Stephen Collett D. S.